

 **PORTAL**  
USPTO

Subscribe (Full Service) Register (Limited Service, Free) Login  
 Search:  The ACM Digital Library  The Guide  
 +control +logic +correctness

THE ACM DIGITAL LIBRARY

 Feedback Report a problem Satisfaction survey

Published since January 1985 and Published before March 2004  
 Terms used control logic correctness

Found 4,396 of 121,094

Sort results by relevance   
 Display results expanded form   
 Save results to a Binder  
 Search Tips  
 Open results in a new window

Try an Advanced Search  
 Try this search in The ACM Guide

Results 1 - 20 of 200

Result page: 1 2 3 4 5 6 7 8 9 10 [next](#)

Best 200 shown

Relevance scale **1 Substructural logic and partial correctness**

Dexter Kozen, Jerzy Tiuryn

July 2003 **ACM Transactions on Computational Logic (TOCL)**, Volume 4 Issue 3**Publisher:** ACM PressFull text available:  pdf(199.74 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We formulate a noncommutative sequent calculus for partial correctness that subsumes propositional Hoare Logic. Partial correctness assertions are represented by intuitionistic linear implication. We prove soundness and completeness over relational and trace models. As a corollary, we obtain a complete sequent calculus for inclusion and equivalence of regular expressions.

**Keywords:** Dynamic logic, Hoare logic, Kleene algebra, Kleene algebra with tests, linear logic, sequent calculus, specification, substructural logic

**2 High level specification and design: Achieving maximum performance: a method for the verification of interlocked pipeline control logic**

Kerstin Eder, Geoff Barrett

June 2002 **Proceedings of the 39th conference on Design automation DAC '02****Publisher:** ACM PressFull text available:  pdf(82.28 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Getting the interlock logic which controls pipeline flow correct is an important prerequisite for maximising pipeline performance. Unnecessary pipeline stalls can only be eliminated when they can be distinguished from those stalls which are necessary to preserve functional correctness. Typically, designers know when these necessary stalls should occur. We propose a method for deriving a maximum pipeline performance specification from a complete functional specification of the pipeline control log ...

**Keywords:** interlock logic, pipeline stall, verification

**3 Processor verification using efficient reductions of the logic of uninterpreted functions to propositional logic**

Randal E. Bryant, Steven German, Miroslav N. Velev

January 2001 **ACM Transactions on Computational Logic (TOCL)**, Volume 2 Issue 1

**Publisher:** ACM Press

Full text available:  pdf(319.93 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The logic of Equality with Uninterpreted Functions (EUF) provides a means of abstracting the manipulation of data by a processor when verifying the correctness of its control logic. By reducing formulas in this logic to propositional formulas, we can apply Boolean methods such as ordered Binary Decision Diagrams (BDDs) and Boolean satisfiability checkers to perform the verification. We can exploit characteristics of the formulas describing the verification conditions to greatly simplify the ...

**Keywords:** decision procedures, processor verification, uninterpreted functions

**4 Automatic generation and verification of sufficient correctness properties for synchronous processors** 

Filip Van Aelten, Stan Y. Liao, Jonathan Allen, Srinivas Devadas

November 1992 **Proceedings of the 1992 IEEE/ACM international conference on Computer-aided design ICCAD '92**

**Publisher:** IEEE Computer Society Press

Full text available:  pdf(531.64 KB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

**5 Proving correctness of compiler optimizations by temporal logic** 

 David Lacey, Neil D. Jones, Eric Van Wyk, Carl Christian Frederiksen

January 2002 **ACM SIGPLAN Notices , Proceedings of the 29th ACM SIGPLAN-SIGACT symposium on Principles of programming languages POPL '02**, Volume 37 Issue 1

**Publisher:** ACM Press

Full text available:  pdf(263.36 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

Many classical compiler optimizations can be elegantly expressed using rewrite rules of form:  $I \Rightarrow I'$  if  $\&phis;$ , where  $I, I'$  are intermediate language instructions and  $\&phis;$  is a property expressed in a temporal logic suitable for describing program data flow. Its reading: If the current program  $n$  contains an instruction of form  $I$  at some control point  $p$ , and if flow condition  $\&phis;$  is satisfied at  $p$ , then ...

**6 On Hoare logic and Kleene algebra with tests** 

 Dexter Kozen

July 2000 **ACM Transactions on Computational Logic (TOCL)**, Volume 1 Issue 1

**Publisher:** ACM Press

Full text available:  pdf(134.01 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

We show that Kleene algebra with tests (KAT) subsumes propositional Hoare logic (PHL). Thus the specialized syntax and deductive apparatus of Hoare logic are inessential and can be replaced by simple equational reasoning. In addition, we show that all relationally valid inference rules are derivable in KAT and that deciding the relational validity of such rules is PSPACE-complete.

**Keywords:** Hoare logic, Kleene algebra, Kleene algebra with tests, dynamic logic, specification

**7 From VHDL to efficient and first-time-right designs: a formal approach** 

 Peter F. A. Middelhoek, Sreeranga P. Rajan  
April 1996 **ACM Transactions on Design Automation of Electronic Systems (TODAES)**,  
Volume 1 Issue 2  
**Publisher:** ACM Press

Full text available:  pdf(722.99 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

In this article we provide a practical transformational approach to the synthesis of correct synchronous digital hardware designs from high-level specifications. We do this while taking into account the complete life cycle of a design from early prototype to full custom implementation. Besides time-to-market, both flexibility with respect to target architecture and efficiency issues are addressed by the methodology. The utilization of user-selected behavior-preserving transformation steps e ...

**Keywords:** CDFG, SFG, VHDL, correctness by construction, design methodology, rapid system prototyping, transformational design

## 8 Rigorous proofs of program correctness without formal logic

 J. R. Jefferson Wadkins  
March 1995 **ACM SIGCSE Bulletin , Proceedings of the twenty-sixth SIGCSE technical symposium on Computer science education SIGCSE '95**, Volume 27 Issue 1  
**Publisher:** ACM Press

Full text available:  pdf(813.14 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Three fundamental principles of static reasoning used to write imperative program code with built-in proof of its correctness are presented and explained in operational terms. It is argued that, although the traditional use of formal logic in the Hoare-Dijkstra-Gries methodology is probably the most efficient way to write code with built-in proofs of correctness, the ideas underlying that methodology are much simpler than commonly perceived through the veil of formal logic and axiomatic sem ...

## 9 Object-oriented logical specification of time-critical systems

 Angelo Morzenti, Pierluigi San Pietro  
January 1994 **ACM Transactions on Software Engineering and Methodology (TOSEM)**,  
Volume 3 Issue 1  
**Publisher:** ACM Press

Full text available:  pdf(3.05 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

We define TRIO+, an object-oriented logical language for modular system specification. TRIO+ is based on TRIO, a first-order temporal language that is well suited to the specification of embedded and real-time systems, and that provides an effective support to a variety of validation activities, like specification testing, simulation, and property proof. Unfortunately, TRIO lacks the ability to construct specifications of complex systems in a system ...

**Keywords:** first-order logic, formal specifications, model-theoretic semantics, object-oriented methodologies, real-time systems, temporal logic

## 10 Scalable hybrid verification of complex microprocessors

 Maher Mneimneh, Fadi Aloul, Chris Weaver, Saugata Chatterjee, Karem Sakallah, Todd Austin  
June 2001 **Proceedings of the 38th conference on Design automation DAC '01**  
**Publisher:** ACM Press

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index](#)

Full text available:  [pdf\(150.33 KB\)](#)

[terms](#)

We introduce a new verification methodology for modern micro-processors that uses a simple checker processor to validate the execution of a companion high-performance processor. The checker can be viewed as an at-speed emulator that is formally verified to be compliant to an ISA specification. This verification approach enables the practical deployment of formal methods without impacting overall performance.

#### 11 Consistency in a partitioned network: a survey

Susan B. Davidson, Hector Garcia-Molina, Dale Skeen

September 1985 **ACM Computing Surveys (CSUR)**, Volume 17 Issue 3

Publisher: ACM Press

Full text available:  [pdf\(3.20 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Recently, several strategies have been proposed for transaction processing in partitioned distributed database systems with replicated data. These strategies are surveyed in light of the competing goals of maintaining correctness and achieving high availability. Extensions and combinations are then discussed, and guidelines are presented for selecting strategies for particular applications.

#### 12 An algebra for composing access control policies

Piero Bonatti, Sabrina De Capitani di Vimercati, Pierangela Samarati

February 2002 **ACM Transactions on Information and System Security (TISSEC)**, Volume 5 Issue 1

Publisher: ACM Press

Full text available:  [pdf\(384.06 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Despite considerable advancements in the area of access control and authorization languages, current approaches to enforcing access control are all based on monolithic and complete specifications. This assumption is too restrictive when access control restrictions to be enforced come from the combination of different policy specifications, each possibly under the control of independent authorities, and where the specifics of some component policies may not even be known apriori. Turning individu ...

**Keywords:** Access control, algebra, logic programs, policy composition

#### 13 A note on the complexity of propositional Hoare logic

Ernie Cohen, Dexter Kozen

July 2000 **ACM Transactions on Computational Logic (TOCL)**, Volume 1 Issue 1

Publisher: ACM Press

Full text available:  [pdf\(63.86 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We provide a simpler alternative proof of the PSPACE-hardness of propositional Hoare logic (PHL).

**Keywords:** Hoare logic, specification

#### 14 Essays in computing science

C. A. R. Hoare

January 1989 Book

Publisher: Prentice-Hall, Inc.

Full text available:  [pdf\(20.91 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [review](#)

Charles Antony Richard Hoare is one of the most productive and prolific computer scientists. This volume contains a selection of his published papers. There is a need, as in a Shakespearian Chorus, to offer some apology for what the book manifestly fails to achieve. It is not a complete 'collected works'. Selection between papers of this quality is not easy and, given the book's already considerable size, some difficult decisions as to what to omit have had to be made. Pity the editor weighin ...

### **15 Correctness proofs of distributed termination algorithms**

 Krzysztof R. Apt

June 1986 **ACM Transactions on Programming Languages and Systems (TOPLAS)**,

Volume 8 Issue 3

Publisher: ACM Press

Full text available:  pdf(1.21 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

The problem of correctness of the solutions to the distributed termination problem of Francez [7] is addressed. Correctness criteria are formalized in the customary framework for program correctness. A very simple proof method is proposed and applied to show correctness of a solution to the problem. It allows us to reason about liveness properties of temporal logic (see, e.g., Manna and Pnueli [12]) using a new notion of weak total correctness.

### **16 Control predicates are better than dummy variables for reasoning about program**

 control

Leslie Lamport

April 1988 **ACM Transactions on Programming Languages and Systems (TOPLAS)**,

Volume 10 Issue 2

Publisher: ACM Press

Full text available:  pdf(1.12 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

When explicit control predicates rather than dummy variables are used, the Owicky-Gries method for proving safety properties of concurrent programs can be strengthened, making it easier to construct the required program annotations.

### **17 Quorum consensus in nested transaction systems**

 Kenneth J. Goldman, Nancy A. Lynch

December 1987 **Proceedings of the sixth annual ACM Symposium on Principles of distributed computing PODC '87**

Publisher: ACM Press

Full text available:  pdf(1.73 MB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

### **18 Reasoning about systems with many processes**

 Steven M. German, A. Prasad Sistla

July 1992 **Journal of the ACM (JACM)**, Volume 39 Issue 3

Publisher: ACM Press

Full text available:  pdf(4.54 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Methods are given for automatically verifying temporal properties of concurrent systems containing an arbitrary number of finite-state processes that communicate using CCS actions. Two models of systems are considered. Systems in the first model consist of a unique control process and an arbitrary number of user processes with identical definitions. For this model, a decision procedure to check whether all the executions of a process satisfy a given specifi ...

**19 Simple relational correctness proofs for static analyses and program transformations** Nick BentonJanuary 2004 **ACM SIGPLAN Notices , Proceedings of the 31st ACM SIGPLAN-SIGACT symposium on Principles of programming languages POPL '04**, Volume 39

Issue 1

**Publisher:** ACM PressFull text available:  [pdf\(139.63 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

We show how some classical static analyses for imperative programs, and the optimizing transformations which they enable, may be expressed and proved correct using elementary logical and denotational techniques. The key ingredients are an interpretation of program properties as relations, rather than predicates, and a realization that although many program analyses are traditionally formulated in very intensional terms, the associated transformations are actually enabled by more liberal extension ...

**Keywords:** Hoare logic, denotational semantics, dependency, information flow, optimizing compilation, partial equivalence relations, program analysis, security, types

**20 Specification-based test oracles for reactive systems** Debra J. Richardson, Stephanie Leif Aha, T. Owen O'MalleyJune 1992 **Proceedings of the 14th international conference on Software engineering ICSE '92****Publisher:** ACM PressFull text available:  [pdf\(1.74 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)
 The ACM Digital Library  The Guide

+control +logic +correctness


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Published since January 1985 and Published before March 2004  
 Terms used [control](#) [logic](#) [correctness](#)

Found 4,396 of 121,094

Sort results by [relevance](#)   Save results to a Binder  
 Display results [expanded form](#)   Search Tips  
 Open results in a new window

[Try an Advanced Search](#)  
[Try this search in The ACM Guide](#)

Results 1 - 20 of 200

 Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale

### [1 Substructural logic and partial correctness](#)

Dexter Kozen, Jerzy Tiuryn

 July 2003 **ACM Transactions on Computational Logic (TOCL)**, Volume 4 Issue 3

**Publisher:** ACM Press

 Full text available: [pdf\(199.74 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We formulate a noncommutative sequent calculus for partial correctness that subsumes propositional Hoare Logic. Partial correctness assertions are represented by intuitionistic linear implication. We prove soundness and completeness over relational and trace models. As a corollary, we obtain a complete sequent calculus for inclusion and equivalence of regular expressions.

**Keywords:** Dynamic logic, Hoare logic, Kleene algebra, Kleene algebra with tests, linear logic, sequent calculus, specification, substructural logic

### [2 High level specification and design: Achieving maximum performance: a method for the verification of interlocked pipeline control logic](#)

Kerstin Eder, Geoff Barrett

 June 2002 **Proceedings of the 39th conference on Design automation DAC '02**
**Publisher:** ACM Press

 Full text available: [pdf\(82.28 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Getting the interlock logic which controls pipeline flow correct is an important prerequisite for maximising pipeline performance. Unnecessary pipeline stalls can only be eliminated when they can be distinguished from those stalls which are necessary to preserve functional correctness. Typically, designers know when these necessary stalls should occur. We propose a method for deriving a maximum pipeline performance specification from a complete functional specification of the pipeline control log ...

**Keywords:** interlock logic, pipeline stall, verification

### [3 Processor verification using efficient reductions of the logic of uninterpreted functions to propositional logic](#)

Randal E. Bryant, Steven German, Miroslav N. Velev

 January 2001 **ACM Transactions on Computational Logic (TOCL)**, Volume 2 Issue 1

**Publisher:** ACM Press

Full text available: [pdf\(319.93 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The logic of Equality with Uninterpreted Functions (EUF) provides a means of abstracting the manipulation of data by a processor when verifying the correctness of its control logic. By reducing formulas in this logic to propositional formulas, we can apply Boolean methods such as ordered Binary Decision Diagrams (BDDs) and Boolean satisfiability checkers to perform the verification. We can exploit characteristics of the formulas describing the verification conditions to greatly simplify the ...

**Keywords:** decision procedures, processor verification, uninterpreted functions

**4** Automatic generation and verification of sufficient correctness properties for synchronous processors

Filip Van Aelten, Stan Y. Liao, Jonathan Allen, Srinivas Devadas

November 1992 **Proceedings of the 1992 IEEE/ACM international conference on Computer-aided design ICCAD '92**

**Publisher:** IEEE Computer Society Press

Full text available: [pdf\(531.64 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)



**5** Proving correctness of compiler optimizations by temporal logic

 David Lacey, Neil D. Jones, Eric Van Wyk, Carl Christian Frederiksen

January 2002 **ACM SIGPLAN Notices , Proceedings of the 29th ACM SIGPLAN-SIGACT symposium on Principles of programming languages POPL '02**, Volume 37 Issue 1

**Publisher:** ACM Press

Full text available: [pdf\(263.36 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)



Many classical compiler optimizations can be elegantly expressed using rewrite rules of form:  $I \Rightarrow I'$  if  $\&phis;$ , where  $I, I'$  are intermediate language instructions and  $\&phis;$  is a property expressed in a temporal logic suitable for describing program data flow. Its reading: If the current program  $n$  contains an instruction of form  $I$  at some control point  $p$ , and if flow condition  $\&phis;$  is satisfied at  $p$ , then ...

**6** On Hoare logic and Kleene algebra with tests

 Dexter Kozen

July 2000 **ACM Transactions on Computational Logic (TOCL)**, Volume 1 Issue 1

**Publisher:** ACM Press

Full text available: [pdf\(134.01 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)



We show that Kleene algebra with tests (KAT) subsumes propositional Hoare logic (PHL). Thus the specialized syntax and deductive apparatus of Hoare logic are inessential and can be replaced by simple equational reasoning. In addition, we show that all relationally valid inference rules are derivable in KAT and that deciding the relational validity of such rules is PSPACE-complete.

**Keywords:** Hoare logic, Kleene algebra, Kleene algebra with tests, dynamic logic, specification

**7** From VHDL to efficient and first-time-right designs: a formal approach



 Peter F. A. Middelhoek, Sreeranga P. Rajan  
April 1996 **ACM Transactions on Design Automation of Electronic Systems (TODAES)**,  
Volume 1 Issue 2  
Publisher: ACM Press

Full text available:  pdf(722.99 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

In this article we provide a practical transformational approach to the synthesis of correct synchronous digital hardware designs from high-level specifications. We do this while taking into account the complete life cycle of a design from early prototype to full custom implementation. Besides time-to-market, both flexibility with respect to target architecture and efficiency issues are addressed by the methodology. The utilization of user-selected behavior-preserving transformation steps e ...

**Keywords:** CDFG, SFG, VHDL, correctness by construction, design methodology, rapid system prototyping, transformational design

## 8 Rigorous proofs of program correctness without formal logic

 J. R. Jefferson Wadkins  
March 1995 **ACM SIGCSE Bulletin , Proceedings of the twenty-sixth SIGCSE technical symposium on Computer science education SIGCSE '95**, Volume 27 Issue 1  
Publisher: ACM Press

Full text available:  pdf(813.14 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Three fundamental principles of static reasoning used to write imperative program code with built-in proof of its correctness are presented and explained in operational terms. It is argued that, although the traditional use of formal logic in the Hoare-Dijkstra-Gries methodology is probably the most efficient way to write code with built-in proofs of correctness, the ideas underlying that methodology are much simpler than commonly perceived through the veil of formal logic and axiomatic sem ...

## 9 Object-oriented logical specification of time-critical systems

 Angelo Morzenti, Pierluigi San Pietro  
January 1994 **ACM Transactions on Software Engineering and Methodology (TOSEM)**,  
Volume 3 Issue 1  
Publisher: ACM Press

Full text available:  pdf(3.05 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

We define TRIO+, an object-oriented logical language for modular system specification. TRIO+ is based on TRIO, a first-order temporal language that is well suited to the specification of embedded and real-time systems, and that provides an effective support to a variety of validation activities, like specification testing, simulation, and property proof. Unfortunately, TRIO lacks the ability to construct specifications of complex systems in a system ...

**Keywords:** first-order logic, formal specifications, model-theoretic semantics, object-oriented methodologies, real-time systems, temporal logic

## 10 Scalable hybrid verification of complex microprocessors

 Maher Mneimneh, Fadi Aloul, Chris Weaver, Saugata Chatterjee, Karem Sakallah, Todd Austin  
June 2001 **Proceedings of the 38th conference on Design automation DAC '01**  
Publisher: ACM Press

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index](#)

Full text available: [pdf\(150.33 KB\)](#)

[terms](#)

We introduce a new verification methodology for modern micro-processors that uses a simple checker processor to validate the execution of a companion high-performance processor. The checker can be viewed as an at-speed emulator that is formally verified to be compliant to an ISA specification. This verification approach enables the practical deployment of formal methods without impacting overall performance.

## 11 Consistency in a partitioned network: a survey

 Susan B. Davidson, Hector Garcia-Molina, Dale Skeen

September 1985 **ACM Computing Surveys (CSUR)**, Volume 17 Issue 3

Publisher: ACM Press

Full text available: [pdf\(3.20 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Recently, several strategies have been proposed for transaction processing in partitioned distributed database systems with replicated data. These strategies are surveyed in light of the competing goals of maintaining correctness and achieving high availability. Extensions and combinations are then discussed, and guidelines are presented for selecting strategies for particular applications.

## 12 An algebra for composing access control policies

 Piero Bonatti, Sabrina De Capitani di Vimercati, Pierangela Samarati

February 2002 **ACM Transactions on Information and System Security (TISSEC)**, Volume 5 Issue 1

Publisher: ACM Press

Full text available: [pdf\(384.06 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Despite considerable advancements in the area of access control and authorization languages, current approaches to enforcing access control are all based on monolithic and complete specifications. This assumption is too restrictive when access control restrictions to be enforced come from the combination of different policy specifications, each possibly under the control of independent authorities, and where the specifics of some component policies may not even be known apriori. Turning individu ...

**Keywords:** Access control, algebra, logic programs, policy composition

## 13 A note on the complexity of propositional Hoare logic

 Ernie Cohen, Dexter Kozen

July 2000 **ACM Transactions on Computational Logic (TOCL)**, Volume 1 Issue 1

Publisher: ACM Press

Full text available: [pdf\(63.86 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We provide a simpler alternative proof of the PSPACE-hardness of propositional Hoare logic (PHL).

**Keywords:** Hoare logic, specification

## 14 Essays in computing science

C. A. R. Hoare

January 1989 Book


Publisher: Prentice-Hall, Inc.

Full text available: [pdf\(20.91 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [review](#)

Charles Antony Richard Hoare is one of the most productive and prolific computer scientists. This volume contains a selection of his published papers. There is a need, as in a Shakespearian Chorus, to offer some apology for what the book manifestly fails to achieve. It is not a complete 'collected works'. Selection between papers of this quality is not easy and, given the book's already considerable size, some difficult decisions as to what to omit have had to be made. Pity the editor weighin ...

## 15 Correctness proofs of distributed termination algorithms



Krzysztof R. Apt

June 1986 **ACM Transactions on Programming Languages and Systems (TOPLAS)**,

Volume 8 Issue 3

Publisher: ACM Press

Full text available: pdf(1.21 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

The problem of correctness of the solutions to the distributed termination problem of Francez [7] is addressed. Correctness criteria are formalized in the customary framework for program correctness. A very simple proof method is proposed and applied to show correctness of a solution to the problem. It allows us to reason about liveness properties of temporal logic (see, e.g., Manna and Pnueli [12]) using a new notion of weak total correctness.

## 16 Control predicates are better than dummy variables for reasoning about program control



Leslie Lamport

April 1988 **ACM Transactions on Programming Languages and Systems (TOPLAS)**,

Volume 10 Issue 2

Publisher: ACM Press

Full text available: pdf(1.12 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

When explicit control predicates rather than dummy variables are used, the Owicky-Gries method for proving safety properties of concurrent programs can be strengthened, making it easier to construct the required program annotations.

## 17 Quorum consensus in nested transaction systems



Kenneth J. Goldman, Nancy A. Lynch

December 1987 **Proceedings of the sixth annual ACM Symposium on Principles of distributed computing PODC '87**

Publisher: ACM Press

Full text available: pdf(1.73 MB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

## 18 Reasoning about systems with many processes



Steven M. German, A. Prasad Sistla

July 1992 **Journal of the ACM (JACM)**, Volume 39 Issue 3

Publisher: ACM Press

Full text available: pdf(4.54 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Methods are given for automatically verifying temporal properties of concurrent systems containing an arbitrary number of finite-state processes that communicate using CCS actions. Two models of systems are considered. Systems in the first model consist of a unique control process and an arbitrary number of user processes with identical definitions. For this model, a decision procedure to check whether all the executions of a process satisfy a given specifi ...


**19 Simple relational correctness proofs for static analyses and program transformations**

Nick Benton

January 2004 **ACM SIGPLAN Notices , Proceedings of the 31st ACM SIGPLAN-SIGACT symposium on Principles of programming languages POPL '04**, Volume 39 Issue 1**Publisher:** ACM PressFull text available: [pdf\(139.63 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

We show how some classical static analyses for imperative programs, and the optimizing transformations which they enable, may be expressed and proved correct using elementary logical and denotational techniques. The key ingredients are an interpretation of program properties as relations, rather than predicates, and a realization that although many program analyses are traditionally formulated in very intensional terms, the associated transformations are actually enabled by more liberal extension ...

**Keywords:** Hoare logic, denotational semantics, dependency, information flow, optimizing compilation, partial equivalence relations, program analysis, security, types

**20 Specification-based test oracles for reactive systems**

Debra J. Richardson, Stephanie Leif Aha, T. Owen O'Malley

June 1992 **Proceedings of the 14th international conference on Software engineering ICSE '92****Publisher:** ACM PressFull text available: [pdf\(1.74 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search:  The ACM Digital Library  The Guide

+programmable +safety +controller +correctness

**SEARCH**

THE ACM DIGITAL LIBRARY

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Published before March 2004

Found 264 of 152,117

Terms used **programmable safety controller correctness**

Sort results  
by

[Save results to a Binder](#)

[Try an Advanced Search](#)

Display  
results

[Search Tips](#)

[Try this search in The ACM Guide](#)

[Open results in a new window](#)

Results 1 - 20 of 200

Result page: **1** [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale

### **1 On the correctness of orphan management algorithms**

Maurice Herlihy, Nancy Lynch, Michael Merritt, William Weihl  
October 1992 **Journal of the ACM (JACM)**, Volume 39 Issue 4

Publisher: ACM Press

Full text available: [pdf\(3.83 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

In a distributed system, node failures, network delays, and other unpredictable occurrences can result in orphan computations—subcomputations that continue to run but whose results are no longer needed. Several algorithms have been proposed to prevent such computations from seeing inconsistent states of the shared data. In this paper, two such orphan management algorithms are analyzed. The first is an algorithm implemented in the Argus distributed-computing system at M ...

**Keywords:** Argus, atomic actions, avalon, camelot, input-output automata, recovery, serializability

### **2 Model checking and modular verification**

Orna Grumberg, David E. Long  
May 1994 **ACM Transactions on Programming Languages and Systems (TOPLAS)**,  
Volume 16 Issue 3

Publisher: ACM Press

Full text available: [pdf\(1.87 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

We describe a framework for compositional verification of finite-state processes. The framework is based on two ideas: a subset of the logic CTL for which satisfaction is preserved under composition, and a preorder on structures which captures the relation between a component and a system containing the component. Satisfaction of a formula in the logic corresponds to being below a particular structure (a tableau for the formula) in the preorder. We show how to do assume-guarantee-style reas ...

**Keywords:** CTL, Moore machines, computer-aided verification, formal verification, model checking, temporal logics

### **3 Formalizing the safety of Java, the Java virtual machine, and Java card**



Pieter H. Hartel, Luc Moreau

December 2001 **ACM Computing Surveys (CSUR)**, Volume 33 Issue 4**Publisher:** ACM PressFull text available: [pdf\(442.86 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

We review the existing literature on Java safety, emphasizing formal approaches, and the impact of Java safety on small footprint devices such as smartcards. The conclusion is that although a lot of good work has been done, a more concerted effort is needed to build a coherent set of machine-readable formal models of the whole of Java and its implementation. This is a formidable task but we believe it is essential to build trust in Java safety, and thence to achieve ITSEC level 6 or Common Crite ...

**Keywords:** Common criteria, programming**4 Security as a safety issue in rail communications**

J. Smith, S. Russell, M. Looi

October 2003 **Proceedings of the 8th Australian workshop on Safety critical systems and software - Volume 33 SCS '03****Publisher:** Australian Computer Society, Inc.Full text available: [pdf\(301.67 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Systems whose failure can lead to the damage of property or the environment, or loss of human life are regarded as safety-critical systems. It is no longer adequate to build safety-critical systems based on the control of errors and failures alone. Safety-critical systems must also deal with securing the data that is used in their operation. While safety and security engineering have evolved separately, there are a number of similarities. These similarities and efforts to integrate safety and se ...

**Keywords:** formal methods, rail control, safety-critical systems, security, system safety**5 Evaluation of safety-critical software**

David L. Parnas, A. John van Schouwen, Shu Po Kwan

June 1990 **Communications of the ACM**, Volume 33 Issue 6**Publisher:** ACM PressFull text available: [pdf\(1.62 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Methods and approaches for testing the reliability and trustworthiness of software remain among the most controversial issues facing this age of high technology. The authors present some of the crucial questions faced by software programmers and eventual users.

**6 Session S9.2: embedded programs: Ensuring code safety without runtime checks for real-time control systems**

Suman Kowshik, Dinakar Dhurjati, Vikram Adve

October 2002 **Proceedings of the 2002 international conference on Compilers, architecture, and synthesis for embedded systems CASES '02****Publisher:** ACM PressFull text available: [pdf\(127.10 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper considers the problem of providing safe programming support and enabling secure online software upgrades for control software in real-time control systems. In such systems, offline techniques for ensuring code safety are greatly preferable to online

techniques. We propose a language called Control-C that is essentially a subset of C, but with key restrictions designed to ensure that memory safety of code can be verified entirely by static checking, under certain system assumptions ...

**Keywords:** compiler, control, programming language, real-time, security, static analysis

## 7 Resourceful systems for fault tolerance, reliability, and safety



Russell J. Abbott

March 1990 **ACM Computing Surveys (CSUR)**, Volume 22 Issue 1

**Publisher:** ACM Press

Full text available:  [pdf\(3.36 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Above all, it is vital to recognize that completely guaranteed behavior is impossible and that there are inherent risks in relying on computer systems in critical environments. The unforeseen consequences are often the most disastrous [Neumann 1986]. Section 1 of this survey reviews the current state of the art of system reliability, safety, and fault tolerance. The emphasis is on the contribution of software to these areas. Section 2 reviews current approaches to software fault ...

## 8 Software safety: why, what, and how



Nancy G. Leveson

June 1986 **ACM Computing Surveys (CSUR)**, Volume 18 Issue 2

**Publisher:** ACM Press

Full text available:  [pdf\(4.18 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Software safety issues become important when computers are used to control real-time, safety-critical processes. This survey attempts to explain why there is a problem, what the problem is, and what is known about how to solve it. Since this is a relatively new software research area, emphasis is placed on delineating the outstanding issues and research topics.

## 9 Token coherence: decoupling performance and correctness



Milo M. K. Martin, Mark D. Hill, David A. Wood

May 2003 **ACM SIGARCH Computer Architecture News , Proceedings of the 30th annual international symposium on Computer architecture ISCA '03**, Volume 31 Issue 2

**Publisher:** ACM Press

Full text available:  [pdf\(269.08 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

Many future shared-memory multiprocessor servers will both target commercial workloads and use highly-integrated "glueless" designs. Implementing low-latency cache coherence in these systems is difficult, because traditional approaches either add indirection for common cache-to-cache misses (directory protocols) or require a totally-ordered interconnect (traditional snooping protocols). Unfortunately, totally-ordered interconnects are difficult to implement in glueless designs. An ideal coherenc ...

## 10 Formal verification in hardware design: a survey



Christoph Kern, Mark R. Greenstreet

April 1999 **ACM Transactions on Design Automation of Electronic Systems (TODAES)**, Volume 4 Issue 2

**Publisher:** ACM Press

Full text available:  [pdf\(411.53 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

In recent years, formal methods have emerged as an alternative approach to ensuring the

quality and correctness of hardware designs, overcoming some of the limitations of traditional validation techniques such as simulation and testing. There are two main aspects to the application of formal methods in a design process: the formal framework used to specify desired properties of a design and the verification techniques and tools used to reason about the relationship between a spec ...

**Keywords:** case studies, formal methods, formal verification, hardware verification, language containment, model checking, survey, theorem proving

## 11 Systematic concurrent object-oriented programming

 Bertrand Meyer  
September 1993 **Communications of the ACM**, Volume 36 Issue 9

Publisher: ACM Press

Full text available:  pdf(7.19 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

**Keywords:** Eiffel, concurrency, object-oriented concurrent programming

## 12 Controller synthesis for the “production cell” case study

 Helmut Melcher, Klaus Winkelmann  
March 1998 **Proceedings of the second workshop on Formal methods in software practice FMSP '98**

Publisher: ACM Press

Full text available:  pdf(1.25 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

**Keywords:** Case Study Production Cell, controller, specification, synchronity, synthesis

## 13 Modeling methodology b: Simulation and verification I: formal analysis of air traffic management systems: the case of conflict resolution and recovery

Ricky Butler, Jeffrey Maddalon, Alfons Geser, César Muñoz  
December 2003 **Proceedings of the 35th conference on Winter simulation: driving innovation WSC '03**

Publisher: Winter Simulation Conference

Full text available:  pdf(199.07 KB) Additional Information: [full citation](#), [abstract](#), [references](#)

New air traffic management concepts distribute the responsibility for traffic separation among the several actors of the aerospace system. As a consequence, these concepts move the safety risk from human controllers to the onboard software and hardware systems. One example of the new kind of distributed systems is air traffic conflict detection and resolution. Traditional methods for safety analysis such as human-in-the-loop simulations, testing, and flight experiments may not be sufficient i ...

## 14 Lutess: a specification-driven testing environment for synchronous software

L. du Bousquet, F. Ouabdesselam, J.-L. Richier, N. Zuanon  
May 1999 **Proceedings of the 21st international conference on Software engineering ICSE '99**

Publisher: IEEE Computer Society Press

Full text available:  pdf(1.28 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

**Keywords:** Lustre, automated testing, behavioral patterns, operational profiles, synchronous reactive software, telecommunications systems

**15 On developing and verifying design abstractions for reliable concurrent programming in Ada**

 A. Burns, A. J. Wellings, A. M. Koelmans, M. Koutny, A. Romanovsky, A. Yakovlev  
March 2001 **ACM SIGAda Ada Letters , Proceedings of the 10th international workshop on Real-time Ada workshop IRTAW '00**, Volume XXI Issue 1

**Publisher:** ACM Press

Full text available:  pdf(633.46 KB) Additional Information: [full citation](#), [abstract](#)

Ada 95 is an expressive concurrent programming language, which allows building large multi-tasking applications. Much of the complexity of these applications stems from the interactions between the tasks. Design abstractions (such as atomic actions, conversations etc.) have been proposed to deal with such complexity. This paper argues that Petri nets offer a promising, tool-supported, technique for checking the logical correctness of abstractions. The paper illustrates the effectiveness of this ...

**16 Selected writings on computing: a personal perspective**

Edsger W. Dijkstra  
January 1982 Book

**Publisher:** Springer-Verlag New York, Inc.

Full text available:  pdf(60.98 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Since the summer of 1973, when I became a Burroughs Research Fellow, my life has been very different from what it had been before. The daily routine changed: instead of going to the University each day, where I used to spend most of my time in the company of others, I now went there only one day a week and was most of the time that is, when not travelling!-- alone in my study. In my solitude, mail and the written word in general became more and more important. The circumstance that my employe ...

**17 Synthesis of fault-tolerant concurrent programs**

 Paul C. Attie, Anish Arora, E. Allen Emerson  
January 2004 **ACM Transactions on Programming Languages and Systems (TOPLAS)**, Volume 26 Issue 1

**Publisher:** ACM Press

Full text available:  pdf(419.95 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Methods for mechanically synthesizing concurrent programs from temporal logic specifications obviate the need to manually construct a program and compose a proof of its correctness. A serious drawback of extant synthesis methods, however, is that they produce concurrent programs for models of computation that are often unrealistic. In particular, these methods assume completely fault-free operation, that is, the programs they produce are fault-intolerant. In this paper, we show how to mechanical ...

**Keywords:** Concurrent programs, fault-tolerance, program synthesis, specification, temporal logic

**18 Cryptography and data security**

Dorothy Elizabeth Robling Denning  
January 1982 Book

**Publisher:** Addison-Wesley Longman Publishing Co., Inc.

Full text available:  pdf(19.47 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index](#)

[terms](#)**From the Preface (See Front Matter for full Preface)**

Electronic computers have evolved from exiguous experimental enterprises in the 1940s to prolific practical data processing systems in the 1980s. As we have come to rely on these systems to process and store data, we have also come to wonder about their ability to protect valuable data.

Data security is the science and study of methods of protecting data in computer and communication systems from unauthorized disclosure ...

**19 Verification techniques for cache coherence protocols**
 Fong Pong, Michel Dubois

 March 1997 **ACM Computing Surveys (CSUR)**, Volume 29 Issue 1

**Publisher:** ACM Press

Full text available:  pdf(1.25 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index](#)  
[terms](#)

In this article we present a comprehensive survey of various approaches for the verification of cache coherence protocols based on state enumeration, (symbolic model checking, and symbolic state models. Since these techniques search the state space of the protocol exhaustively, the amount of memory required to manipulate that state information and the verification time grow very fast with the number of processors and the complexity of the protocol mechanism ...

**Keywords:** cache coherence, finite state machine, protocol verification, shared-memory multiprocessors, state representation and expansion

**20 Architecture: Leveraging cache coherence in active memory systems**
 Daehyun Kim, Mainak Chaudhuri, Mark Heinrich

 June 2002 **Proceedings of the 16th international conference on Supercomputing ICS '02**
**Publisher:** ACM Press

Full text available:  pdf(217.27 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index](#)  
[terms](#)

Active memory systems help processors overcome the memory wall when applications exhibit poor cache behavior. They consist of either active memory elements that perform data parallel computations in the memory system itself, or an active memory controller that supports address re-mapping techniques that improve data locality. Both active memory approaches create coherence problems---even on uniprocessor systems---since there are either additional processors operating on the data directly, or the ...

**Keywords:** active memory, address re-mapping, cache coherence

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.  
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

 [Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((iec 1131 correctness)&lt;in&gt;metadata)"

 [e-mail](#)

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.[» Search Options](#)[View Session History](#)[Modify Search](#)[New Search](#)

((iec 1131 correctness)&lt;in&gt;metadata)

[» Key](#)

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

Display Format:  Citation  Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2006 IEEE -

Indexed by

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

 [Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((iec 1131 validat\*)&lt;in&gt;metadata)"

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.[» Search Options](#)[View Session History](#)[Modify Search](#)[New Search](#)[» Key](#)**IEEE JNL** IEEE Journal or Magazine**IET JNL** IET Journal or Magazine**IEEE CNF** IEEE Conference Proceeding**IET CNF** IET Conference Proceeding**IEEE STD** IEEE Standard Check to search only within this results setDisplay Format:  Citation  Citation & Abstract**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -

Indexed by

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office


 [Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((safety integrity level probability of failure on demand )&lt;in&gt;metadata)) &lt;and&gt; (pyr &amp;g..."

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.[» Search Options](#)[View Session History](#)[Modify Search](#)[New Search](#)

(((safety integrity level probability of failure on demand )&lt;in&gt;metadata)) &lt;and&gt; (pyr &gt;

 Check to search only within this results set[» Key](#)Display Format:  Citation  Citation & Abstract**IEEE JNL** IEEE Journal or Magazine**No results were found.****IET JNL** IET Journal or Magazine**IEEE CNF** IEEE Conference Proceeding

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

**IET CNF** IET Conference Proceeding**IEEE STD** IEEE Standard[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -

Indexed by


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

 **Search Results****BROWSE****SEARCH****IEEE XPLORE GUIDE**

Results for "((iec 1131)&lt;in&gt;metadata) &lt;and&gt; (pyr &gt;= 1985 &lt;and&gt; pyr &lt;= 2004)"

 e-mailYour search matched **46** of **1568664** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.» **Search Options**[View Session History](#)[New Search](#)» **Key**

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

**Modify Search**

(((iec 1131)&lt;in&gt;metadata) &lt;and&gt; (pyr &gt;= 1985 &lt;and&gt; pyr &lt;= 2004))

 [Search](#) Check to search only within this results setDisplay Format:  Citation  Citation & Abstract[view selected items](#) [Select All](#) [Deselect All](#)

- 1. **Introduction into IEC 1131-3 and PLCopen**  
van der Wal, E.;  
[The Application of IEC 61131 to Industrial Control: Improve Your Bottom Line](#)  
[Value Industrial Control Systems \(Ref. No. 1999/076\)](#), IEE Colloquium on  
30 March 1999 Page(s):2/1 - 2/8  
[AbstractPlus](#) | Full Text: [PDF\(476 KB\)](#) IET CNF
- 2. **Programming tools for IEC 1131-3 and extensions for distributed systems**  
Brendel, W.;  
[Open Control in the Process and Manufacturing Industries \(Digest No. 1998/2\)](#)  
[Colloquium on](#)  
15 May 1998 Page(s):3/1 - 3/7  
[AbstractPlus](#) | Full Text: [PDF\(872 KB\)](#) IET CNF
- 3. **Safety considerations in using IEC 1131-3 programming languages**  
Clarke, S.J.;  
[Open Control in the Process and Manufacturing Industries \(Digest No. 1998/2\)](#)  
[Colloquium on](#)  
15 May 1998 Page(s):9/1 - 9/6  
[AbstractPlus](#) | Full Text: [PDF\(352 KB\)](#) IET CNF
- 4. **PLC standard programming languages: IEC 1131-3**  
Maslar, M.;  
[Pulp and Paper Industry Technical Conference, 1996., Conference Record of](#)  
10-14 June 1996 Page(s):26 - 31  
Digital Object Identifier 10.1109/PAPCON.1996.535979  
[AbstractPlus](#) | Full Text: [PDF\(264 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- 5. **How can IEC 1131-3 improve the quality of industrial control software?**  
Lewis, R.W.;  
[Control '96, UKACC International Conference on \(Conf. Publ. No. 427\)](#)  
Volume 2, 2-5 Sept. 1996 Page(s):1389 - 1393 vol.2  
[AbstractPlus](#) | Full Text: [PDF\(272 KB\)](#) IET CNF
- 6. **The effect of IEC 1131-3 on the testing process for real time software app**  
Hamilton, A.;

[Advances in Software Engineering for PLC](#)

14 Oct 1993 Page(s):4/1 - 4/3

[AbstractPlus](#) | Full Text: [PDF\(152 KB\)](#) IET CNF

7. An industrial case study covering the use of IEC 1131-3 in connection with engineering and operation requirements of the water industry

Wilson, A.J.; Hill, T.;

[The Application of IEC 61131 to Industrial Control: Improve Your Bottom Line - Value Industrial Control Systems \(Ref. No. 1999/076\)](#), IEE Colloquium on

30 March 1999 Page(s):6/1 - 6/4

[AbstractPlus](#) | Full Text: [PDF\(320 KB\)](#) IET CNF

8. Building and using graphical programming tools for the IEC 1131-3 standard

Juer, J.; Oliver, J.J.;

[Advances in Software Engineering for PLC](#)

14 Oct 1993 Page(s):5/1 - 5/4

[AbstractPlus](#) | Full Text: [PDF\(224 KB\)](#) IET CNF

9. Interpretation Petri net model to IEC 1131-3: LD for programmable logic controllers

Suesut, T.; Inban, P.; Nilas, P.; Rerngreon, P.; Gulphanich, S.;  
[Robotics, Automation and Mechatronics. 2004 IEEE Conference on](#)  
Volume 2, 1-3 Dec. 2004 Page(s):1107 - 1111 vol.2[AbstractPlus](#) | Full Text: [PDF\(327 KB\)](#) IEEE CNF[Rights and Permissions](#)

10. Mechatronic objects encapsulation in IEC 1131-3 norm

Bonfe, M.; Fantuzzi, C.;

[Control Applications. 2000. Proceedings of the 2000 IEEE International Conference on](#)  
25-27 Sept. 2000 Page(s):598 - 603

Digital Object Identifier 10.1109/CCA.2000.897493

[AbstractPlus](#) | Full Text: [PDF\(496 KB\)](#) IEEE CNF[Rights and Permissions](#)

11. A compiler design for IEC 1131-3 standard languages of programmable logic controllers

Hyung Seok Kim; Jae Young Lee; Wook Hyun Kwon;

[SICE Annual. 1999. 38th Annual Conference Proceedings of the](#)

28-30 July 1999 Page(s):1155 - 1160

Digital Object Identifier 10.1109/SICE.1999.788715

[AbstractPlus](#) | Full Text: [PDF\(404 KB\)](#) IEEE CNF[Rights and Permissions](#)

12. Verification of the behavior of sequential function chart based on its Petri net

Miyazawa, I.; Tanaka, H.; Sekiguchi, T.;

[Emerging Technologies and Factory Automation Proceedings, 1997. ETFA '97 International Conference on](#)  
9-12 Sept. 1997 Page(s):532 - 537

Digital Object Identifier 10.1109/ETFA.1997.616327

[AbstractPlus](#) | Full Text: [PDF\(516 KB\)](#) IEEE CNF[Rights and Permissions](#)

13. Teaching open standards for PLC programming

Verwer, A.A.;

[Mechatronics in Education: Delivery of a New Engineering Discipline into the Classroom](#), IEE Colloquium on

26 Mar 1996 Page(s):8/1 - 8/7

[AbstractPlus](#) | Full Text: [PDF\(388 KB\)](#) IET CNF

14. What are the benefits from using IEC 1131-3 PLC languages as the basis

**future control engineers?**  
Lewis, R.W.;  
Mechatronics in Education: Delivery of a New Engineering Discipline into the V Colloquium on  
26 Mar 1996 Page(s):7/1 - 717  
[AbstractPlus](#) | [Full Text: PDF\(1020 KB\)](#) IET CNF

**15. IEC 1131-3 programming for motion control**  
Jones, K.;  
Configurable Servo Control Systems, IEE Colloquium on  
1994 Page(s):6/1 - 6/3  
[AbstractPlus](#) | [Full Text: PDF\(288 KB\)](#) IET CNF

**16. IEE Colloquium on 'Advances in Software Engineering for PLC (Program Controller) Systems' (Digest No.1993/184)**  
Advances in Software Engineering for PLC  
14 Oct 1993  
[AbstractPlus](#) | [Full Text: PDF\(12 KB\)](#) IET CNF

**17. The new IEC 1131 standard for programmable controller languages bring 'open systems' to industrial control systems**  
Lewis, R.W.;  
Advances in Software Engineering for PLC  
14 Oct 1993 Page(s):1/1 - 1/6  
[AbstractPlus](#) | [Full Text: PDF\(336 KB\)](#) IET CNF

**18. Modular logic controllers for machining systems: formal representation & analysis using Petri nets**  
Park, E.; Tilbury, D.M.; Khargonekar, P.P.;  
Robotics and Automation, IEEE Transactions on  
Volume 15, Issue 6, Dec. 1999 Page(s):1046 - 1061  
Digital Object Identifier 10.1109/70.817669  
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(344 KB\)](#) IEEE JNL  
[Rights and Permissions](#)

**19. Specification, design, and implementation of logic controllers based on c models and the standard IEC 1131. II. Design and implementation**  
Feldmann, K.; Colombo, A.W.; Schnur, C.; Stockel, T.;  
Control Systems Technology, IEEE Transactions on  
Volume 7, Issue 6, Nov. 1999 Page(s):666 - 674  
Digital Object Identifier 10.1109/87.799667  
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(132 KB\)](#) IEEE JNL  
[Rights and Permissions](#)

**20. Specification, design, and implementation of logic controllers based on c models and the standard IEC 1131. I. Specification and design**  
Feldmann, K.; Colombo, A.W.; Schnur, C.; Stockel, T.;  
Control Systems Technology, IEEE Transactions on  
Volume 7, Issue 6, Nov. 1999 Page(s):657 - 665  
Digital Object Identifier 10.1109/87.799666  
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(232 KB\)](#) IEEE JNL  
[Rights and Permissions](#)

**21. Stepping off the ladder [PLC programming]**  
Davidson, C.; McWhinnie, J.;  
IEE Review  
Volume 43, Issue 5, 18 Sept. 1997 Page(s):210 - 212  
[AbstractPlus](#) | [Full Text: PDF\(1908 KB\)](#) IET JNL

- 22. Real-time synchronisation of multiaxis high-speed machines, from SFC to Petri net verification**  
Jiang, J.; Azzopardi, D.; Holding, D.J.; Carpenter, G.F.; Sagoo, J.G.;  
Control Theory and Applications, IEE Proceedings-  
Volume 143, Issue 2, March 1996 Page(s):164 - 170  
[AbstractPlus](#) | Full Text: [PDF\(664 KB\)](#) IET JNL
  
- 23. Software design methodology for power electronics applications**  
Carmeli, S.; Cosatto, E.; Monti, A.; Penno, C.;  
Computers in Power Electronics, 1998. 6th Workshop on  
19-22 July 1998 Page(s):XVII - XXXIII  
Digital Object Identifier 10.1109/CIPE.1998.779650  
[AbstractPlus](#) | Full Text: [PDF\(1572 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
  
- 24. Integrated simulations of vehicle dynamics and control tasks execution in Gielmo**  
Gielmo, L.; Natale, O.R.; Santini, S.;  
Advanced Intelligent Mechatronics, 2003. AIM 2003. Proceedings. 2003 IEEE/  
International Conference on  
Volume 1, 20-24 July 2003 Page(s):395 - 400 vol.1  
[AbstractPlus](#) | Full Text: [PDF\(517 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
  
- 25. Use of IEC1131 programming in virtual laboratory**  
Galceran, S.; Sudria, A.; Bergas, J.; Benitez, I.; Vazquez, L.; Boye, G.; Obregon, J.;  
Emerging Technologies and Factory Automation, 2001. Proceedings. 2001 8th  
International Conference on  
15-18 Oct. 2001 Page(s):645 - 649 vol.1  
Digital Object Identifier 10.1109/ETFA.2001.996425  
[AbstractPlus](#) | Full Text: [PDF\(961 KB\)](#) IEEE CNF  
[Rights and Permissions](#)



RELEASE 2.3

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

 **Search Results****BROWSE****SEARCH****IEEE XPLORE GUIDE**

Results for "((redundant control system)&lt;in&gt;metadata)"

 e-mail

Your search matched 8 of 1568664 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.» **Search Options**[View Session History](#)[New Search](#)**Modify Search**

((redundant control system)&lt;in&gt;metadata)

 Check to search only within this results setDisplay Format:  Citation  Citation & Abstract» **Key**

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

 [Select All](#) [Deselect All](#)

1. A precision method for optimizing the reliability of a redundant control system application  
 Song-Gui Shu;  
Systems Engineering, 1989., IEEE International Conference on  
 24-26 Aug. 1989 Page(s):123 - 125  
 Digital Object Identifier 10.1109/ICSYSE.1989.48635  
[AbstractPlus](#) | Full Text: [PDF\(176 KB\)](#) [IEEE CNF](#)  
[Rights and Permissions](#)

2. Installation of an integrated turbine-generator control system for a pulp n  
 Weaver, M.D.; Hilder, S.; Brown, D.R.;  
Industry Applications, IEEE Transactions on  
 Volume 39, Issue 3, May-June 2003 Page(s):899 - 909  
 Digital Object Identifier 10.1109/TIA.2003.810645  
[AbstractPlus](#) | Full Text: [PDF\(1107 KB\)](#) [IEEE JNL](#)  
[Rights and Permissions](#)

3. Safe PLD-based programmable controllers  
 Alvarez, J.; Marcos, J.; Fernandez, S.;  
Field Programmable Logic and Applications, 2005. International Conference on  
 24-26 Aug. 2005 Page(s):559 - 562  
 Digital Object Identifier 10.1109/FPL.2005.1515785  
[AbstractPlus](#) | Full Text: [PDF\(115 KB\)](#) [IEEE CNF](#)  
[Rights and Permissions](#)

4. Installation of an integrated turbine-generator control system for a pulp n  
 Weaver, M.; Hilder, S.; Brown, D.R.;  
Pulp and Paper Industry Technical Conference, 2001 Conference Record of  
 18-22 June 2001 Page(s):1 - 9  
 Digital Object Identifier 10.1109/PAPCON.2001.952941  
[AbstractPlus](#) | Full Text: [PDF\(1056 KB\)](#) [IEEE CNF](#)  
[Rights and Permissions](#)

5. Research and implementation of fieldbus reliability  
 Zhi Wang; Tianran Wang; Mingzhe Yuan; Haibin Yu;  
Intelligent Control and Automation, 2000. Proceedings of the 3rd World Congress  
 Volume 5, 28 June-2 July 2000 Page(s):3644 - 3648 vol.5  
 Digital Object Identifier 10.1109/WCICA.2000.863226

[AbstractPlus](#) | Full Text: [PDF\(448 KB\)](#) IEEE CNF  
[Rights and Permissions](#)

6. **Innovative technology in the Moyle Interconnector**

Atkinson, I.; Smith, M.; Damgaard, P.; Haeusler, M.; Kuhn, M.; Lips, P.; Balog, A.;  
AC-DC Power Transmission, 2001. Seventh International Conference on (Con-  
28-30 Nov. 2001 Page(s):66 - 71

[AbstractPlus](#) | Full Text: [PDF\(694 KB\)](#) IET CNF

7. **Software Issues In Redundant Sequential Control**

Albert L. Hopkins;  
Industrial Electronics, IEEE Transactions on  
Volume IE-29, Issue 4, Nov. 1982 Page(s):273 - 278  
Digital Object Identifier 10.1109/TIE.1982.356679

[AbstractPlus](#) | Full Text: [PDF\(1700 KB\)](#) IEEE JNL  
[Rights and Permissions](#)

8. **Fault Tolerant Control System in Critical Process Based on Ethernet Netw**

Tipsuwanporn, V.; Rodkamtui, J.;  
Robotics, Automation and Mechatronics, 2006 IEEE Conference on  
Dec. 2006 Page(s):1 - 4  
Digital Object Identifier 10.1109/RAMECH.2006.252658

[AbstractPlus](#) | Full Text: [PDF\(395 KB\)](#) IEEE CNF  
[Rights and Permissions](#)

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -

